Notice of Allowability	Application No.	Applicant(s)	
	09/522,294	KATO, MANABU	
	Examiner	Art Unit	1
	Hai C Pham	2861	AW
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to Amendment filed 06/04/04.			
2. The allowed claim(s) is/are <u>1-10,40,56,63,67,74 and 80</u> .			
3. A The drawings filed on <u>09 March 2000</u> are accepted by the Examiner.			
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of 			
each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachm nt(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. Notice of Informal 6. Interview Summar Paper No./Mail D 7. Examiner's Amend 8. Examiner's Statem 9. Other	y (PTO-413), ate dment/Comment	·

Application/Control Number: 09/522,294 Page 2

Art Unit: 2861

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Attorney Michael O'Neill on June 16, 2004.

The application has been amended as follows:

IN THE CLAIMS:

- Claim 74: Rewrote claim 74 as follows:
- --74. A multibeam scanning <u>optical</u> apparatus according to Claim 67, further comprising:

at least one an image carrier arranged on the at least one surface to be scanned.--

2. The following is an examiner's statement of reasons for allowance: Claims 1 and 63 are patentable over the prior art patents and printed publications because of the specific control of the timing of the start of scanning of the plurality of light beams in a multi-beam scanning optical apparatus so as to align the centers of the scanning areas of the plurality of light beams with each other on the surface to be scanned while allowing starting points of scanning of the plurality of light beams to differ from each

other when the plurality of light beams have respective wavelengths that are different from each other, which is not taught by the art of record alone or in combination.

Claims 2-10, 40, 56, 67, 74, and 80 are allowed because they are directly or indirectly dependent from claim 1 above.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

- 3. The information disclosure statement (IDS) submitted on 06/03/04 regarding the Examination Report based on the documents listed in the Information disclosure Statement dated October 2, 2003, has been considered and analyzed by the examiner.
- 4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hai C Pham whose telephone number is (571) 272-2260. The examiner can normally be reached on M-F 8:30AM 5:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen D Meier can be reached on (571) 272-2149. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 09/522,294 Page 4

Art Unit: 2861

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

HAI PHAM

PRIMARY EXAMINER

HaichiPham

June 16, 2004